



Perfectively Fit for High Volume Printing.



ECOSYS P3260dn ECOSYS P3155dn ECOSYS P3150dn ECOSYS P3145dn

- Speedy A4 print to 60 pages ppm*.
- Support high print volume with paper capacity up to 2,600 sheets**.
- Remarkable print quality with Fine 1200 resolution.
- Convenient wireless LAN interface.
- Support Air Print and Mopria certified.
- Visually clear with 5 line LCD display and numeric key.



Evolution of ECOSYS

ECOLOGY - Providing energy-saving, silent design and compact design, realize top-class environment support in the industry.

ECONOMY - Providing lower CPP and longer life-time design, enhance TCO competitiveness.

SYSTEM - Provide reliable machines by assuring compatibility with the legacy machines / improvement of stable operation / adding the function of streamlining duties

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

Advantages



High productivity and usability.

- Convenient Multi-Purpose Tray First Mode: Allow printing via Muli-Purpose Tray whenever paper is loaded there.
- Direct print from USB memory.
- 2-sided print as standard.
- Save cost by using less paper Print: Allow 4-in-1 to 25-in-1
- Support Job retention with RAM disk/SD card.









High Security.

- Sophisticated network security (IPsec, HTTPS, LDAP over SSL, SNMPv3) as standard and prevent improper access.
- Private Print enables secure print jobs with preset password request at the device.
- Standard built-in Kensington Security Slot for burglar-proof of printer.



Eco-friendly advantages.

- Low energy consumption Energy Star Ver. 3.0 certified (Taiwan only)
- Power consumption is low by using the new low temperature melting toner.
- Reduce wastage with Long Life Consumables and Drums.
- Reduce noise by built-in Quiet Mode*.





Monochrome Printer

Streamlining Daily Business Process.

By combining the innovative Business Application, this printer can manage document in an effective approach.



■ KYOCERA MyPanel Remote control designated KYOCERA printing devices by smartphone or tablet.



■ KYOCERA Net Manager** Control sensitive documents and reduce printing costs.



■ KYOCERA Mobile Print Conveniently print files, web pages and images using smartphone or tablet.



■ Mopria Print Service Simple and seamless way to connect and send documents and pictures from Android devices to a nearby printer.



■ AirPrint Print Documents, photographs, images, etc. directly from iOS devices/Mac.





Efficient and Reliable Operation

These economical models are the perfect solutions for small offices that set high standard. They include various funcions that drives for professional results. Delivering at an astounding speed, these printers know how to impress.



^{*}ECOSYS P3260dn



Improve product appeal


Enhanced Data Security

For optional storage (HD-6/7), Functions such as overwrite deletion and data encryption (Data Security Kit (E)) which used to be offered as options can be used only by activating the function (default: OFF but free activation without license key)

Caster Kit

Monochrome Printer

- Set Caster Kit to improve product appeal due to the following 2 reasons.
- ① Caster-stand to put the machine when install it on the floor.
- ② To comply with new product safety standard (IEC62368-1*), enhanced physical stability.



Monochrome Printer

^{**}New product safety standard IEC62368-1 is expected to be effective.

It will require more strict machine physical stability.

^{*}New product safety standard IEC62368-1 is expected to be effective.

It will require more strict machine physical stability.

		N	Main Specification	S	
Model		ECOSYS P3145dn	ECOSYS P3150dn	ECOSYS P3155dn*	ECOSYS P3260dn
Туре		Desktop			
Writing Method		Laser exposure dry election			
Print Speed (A4) (Mono)		45 ppm	50 ppm	55 ppm	60 ppm
First Print Out Time		5.3 seconds or less	5.4 seconds or less 4.5 seconds or less		nds or less
Warm Up Time		16 seconds or less 25 seconds or less 25 seconds or less			
Resolution		600dpi x 600 dpi, Fast 1200, Fine 1200			
Control Panel		LCD 21 characters x 5 lines with white LED back light			
Power Consumption (Standard		594W	636W	675W	721W
configuration)	Stand-by Mode	10W	0.5W	11W	0.714
Noise (ISO7779/	Sleep Mode Print Mode	54dB(A); Silent mode: 50dB(A)	0.5W 55dB(A); Silent mode: 50dB(A)	56dB(A); Silent mode: 51dB(A)	0.7W 57dB(A); Silent mode: 52dB(A)
ISO9296)	Stand-by Mode	34dB(A), Silent filode. 30dB(A)	30dB(A)	Joub(A), Sherit Houe. STub(A)	33dB(A)
		390 x 416 x 308mm	390 x 416 x 343mm		410 x 410 x 363mm
Dimension (W x D x H) (Main Unit) Weight (Main Unit / Excluding Toner)		Approx. 14.1 kg			
weight (Main Onit / Excluding Toner)					
CDU		Controller			
CPU		Cortex-A9 1.2 GHz			
Memory		Standard 512MB (Max. 2.5GB)			
Data Security		Data Security Kit (E) (Available when HD-6/7 is installed)			
Interface		USB 2.0 High Speed x1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T (TCP/IP. NetBEUI); USB Host x2; e-KUIO x1; Wireless LAN (optional)			
PDL		PCL6 (PCL5e, PCL-XL), KPDL3 (Postscript 3 compatible), PRESCRIBE, IBM Proprinter, Epson LQ-850, PDF Direct Print Ver. 1.7, XPS, Open XPS			
Network Printing		TCP/IP, FTP, LPR, Port9100, IPP, IPP over SSL, NetBEUI, WSD Print, Apple Bonjour, IPsec, SNMPv3, IEEE802.1x, IPP over SSL/TLS, HTTP over SSL/TLS,FTP over SSL/TLS, SMTP over SSL/TLS, POP3 over SSL/TLS, Enhanced WSD over SSL/TLS			
Operating System		Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Vista, Windows 7, Windows 8, Windows 8.1, Windows 10; Apple Macintosh OS X 10.5 or later; Linux			
USB Memory Printing		Standard			
USB Memory Printing Format		TIFF, JPEG, PDF, XPS, Open XPS			
Mobile Printing		AirPrint, Mopria, KYOCERA mobile print			
		Paper Handling			
Paper Capacity Standard		500 sheets x1 (Cassette) + 100 sheets (MPT)			
	Maximum	2,600 sheets (Main Unit + PF-3110 x4 + MPT)			
Paper Size	Cassette	Max. A4 (Legal) - Min. A6R			
	Option	Max. A4 (Legal) - Min. A5R			
MPT		Max. 216mm x 356mm - Min. 70mm x 140mm, banner paper: up to 915mm			
Address Storage Cassette Option MPT		60 - 120 g/m² 60 - 120 g/m²			
		60 - 120 g/m² 60 - 220 g/m²			
Duplex Printing		Paper size: A4/Legal - A5R; Paper weight: 60 - 120 g/m²			
Output Capacity		250 sheets face-down 250 sheets face-down			
		Consumables & Options			
Toner Kit (Page Yield in accordance with ISO/IEC 19752)		TK-3165 (12,500 pages)	TK-3175 (15,500 pages)	TK-3195 (25,000 pages)	TK-3195 (25,000 pages) TK-3205 (40,000 pages)
Capacity of Start Up Toner			8 000 pages		
Maintenance Kit	p Toffer	6,000 pages MK-3265 (300,000 pages)	8,000 pages	10,000 pages MK-3305 (500,000 pages)	11,000 pages
Paper Feeder		PF-3110: 500 sheets (Max. x4); PF-3100: 2,000 sheets; PB-325: Attachment Kit for PF-3100			
Face-up Output Tray		PT-320: 250 sheets (max. x4), 11-3100. 2,000 sheets, 13-323. Attachment Nt 101 11-3100			
Card Authentication		Card Authentication Kit(B)			
Gigabit Ethernet Board		IB-50: For additional Network			
Wireless LAN Interface		IB-36/IB-51: 802.11 b/q/n/Wireless LAN/WiFi Direct***			
Parallel Interface		IB-30/16-31, 802.11 B/g/ff/Wireless ENG/WIFI DIRECT			
Storage Device		HD-6: SSD 32GB; HD-7: SSD 128GB			
Caster Kit		CA-3100			
		CA 5100			

^{*}ECOSYS P3155dn is available in Taiwan only **Except ECOSYS P3145dn

KYOCERA Document Solutions India Pvt. Ltd.

Second Floor, Centrum Plaza, Sector-53, Golf Course Road, Gurgaon – 122002 (Haryana), India Tel: +91-124-4671000 Fax: +91-124-4671001



Your Kyocera Business Partner

www.kyoceradocumentsolutions.co.in

^{***}WiFi Direct is for IB-36 only