

> PRINT > COPY > SCAN > FAX

TASKalfa **3212i** TASKalfa **4012i**

MONOCHROME MULTIFUNCTION PRODUCT FOR A4/A3 FORMAT





- Fast A4 copy/print speed up to 32/40 cpm.
- High image quality with 1,200 x 1,200 dpi print resolution.
- Superior scanning performance with dual scan speed up to 160/160 ipm A4 Mono/Color *.
- Speedy first copy time in just 3.6 seconds** and warm up time 18 seconds.
- 320GB*** hard disk capacity and 2GB RAM to meet heavy-duty tasks without an additional hard drive.
- Flexible with various paper handling systems and different capacity document processor combinations to meet different users' requirements.
- Convenient with inner Job Separator as standard.
- Environmentally friendly with low energy consumption due to intelligent device recovery system.
- * Optional DP-7110 required.
- ** TASKalfa 4012i only. ***Optional for TASKalfa 3212i.





Born to be Extraordinary

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

Keep Productivity Flowing

This reliable multifunctional device eases workflow significantly with high flexibility and productivity. With a wide range of innovative solutions, it is perfectly suitable for demanding desktop users and small workgroups.





Impressive COPY/PRINT/SCAN/FAX

Сору

• Skip Blank Page: Copy/scan to save unnecessary cost by skipping blank pages.



 Job Finish Notice: Send email notification to the specific user when a Copy/Scan job is completed.




 Prevent Bleed-thru: Remove unwanted background when Copy/Scan a printed double-sized thin paper (e.g. newspaper, NCR paper, and magazine).




Print

 Job Skip: Automatically prioritize the error print job to avoid the machine come to a halt in case of



Scan

 USB Scan to/Direct Print: Scan to/print directly from USB Memory in PDF/Compression PDF/TIFF/JPEG/XPS format.



 Scan to Searchable PDF function (Optional): Easily search the text inside PDF files after scanning the hardcopy document and convert text via OCR function.




 High Compressed PDF Size: Adopt new image analysis technology to achieve smaller file size.



 Scanned Image File Size Check: Check the size of the scanned document does not exceed limit before sending e-mail.



 FTP/SMB/Email/Fax Multi-Sending: Send document to different destinations (email addresses, folders, etc.) in a single scan operation.



Fax

 Simple Fax Forwarding: Forward incoming fax to other destinations by Email, SMB or FTP (Optional).



 i-FAX Sending (Optional): Send and receive i-FAX without the mail service by installing Direct SMTP function.





User-Friendly

- Excellent Clarity 9-inch Color Touch Panel:
- With swivel type operability similar to smartphone and tablet.
- Tiltable from 15° to 90°.







• Easy-to-Use Keypad:

Type in with easy with on-screen virtual numeric keypad (hardware keypad is optional).





- Convenient Home Screen:
- All commonly used functions and applications are found.
- Customize easily to meet different needs of users/group users.





• Intuitive Printer Driver's Quick Print Tab:

Create and save frequently used custom profiles as graphic icons to allow programming of complex jobs in one click.



• Easy-to-Reach Custom Box:

Provide long-term job storage at a device, allowing users to securely print and store jobs on the device and output them when required.



• Low Power Consumption Mode:

- Adopt spot conduction for intelligent recovery system by activating only the areas of the device required for the operation.




- Choose recovery priority mode/power priority mode based on different needs.




Access Securely and Quickly with Mobile & Cloud Solutions

NFC

- Simplify Document Workflow KYOCERA Mobile Print:
 - Print documents/webpages/image from virtually anywhere, on Apple/Android smartphone/tablet to designated KYOCERA MFPs and printers.
 - Scan files and images from same MFPs to mobile devices.
 - Support AirPrint for iPhone and iPad.



- Intuitive KYOCERA MyPanel:
 - Use smartphone/tablet to connect a compatible networked KYOCERA printing device on local Wi-Fi network wirelessly.
 - Perform COPY/PRINT/SCAN from Custom Box/ Cloud# by mobile devices with personalizing settings.



*Cloud Application Supported: Dropbox, Evernote, OneDrive

- Print Anywhere KYOCERA Cloud Connect (Optional):
 - Retrieve and print files in Google Drive/Evernote®, directly from any KYOCERA HyPAS-enabled MFPs.
 - Upload scanned files to Google Drive/Evernote®, directly from the MFP (without using a computer).



- Powerful KYOCERA Fleet Services (Optional):
- Overview of all the devices status and receive notifications via the cloud.
- Preempt and plan for maintenance needs.



Support Gmail and Hotmail Public Mail Services:
 Scan documents to email accounts from the device and automatically print



- Support WiFi Direct:
- Require IB-36 Wireless LAN (Optional)



 Makes print/scan via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/KYOCERA MyPanel much easier.



Data and Document Security

 Confidential Printing with Private Print: Release print job at the device by entering a preset four-digit access code when making a print at KYOCERA KX Driver.



 Secure with Password Protection Setting: Allow administrator to set Password Policy to limit user access to designated capacity.



 Strong Network Authentication: Access and manage information through network authentication for Windows Server using Kerberos or NTLM.



 Safe FAX Memory Overwrite (Optional): Erase FAX memory after sending or receiving for confidentiality.



 IPv6 Ready: Compatible with future network infrastructures as supporting IPv6.



 Effective Card Authentication (Optional IC Card Reader): Control access and manage with predefined user restrictions such as maximum amount of output restrictions.



 Security Watermark: Distinguish originals from photocopies and provide protection for the sensitive document.



 Intuitive M-Files (Optional): Easily find and manage all information e.g. documents, projects and business processes etc, as well as add intelligence by combining it with information from other systems (like SharePoint, Salesforces and SAP).



 Highly Reliable KYOCERA Data Security Kit (Optional): Encrypt data before storing in the hard disk and automatically overwrite all unnecessary data stored on the hard drive.



 Secure Socket Layer (SSL) Data Security Protocol: Prevent eavesdropping and tampering by enhancing secure communication for remote configuration and data retrieval.





Simplify Administration Process

Provide real ease-of-use to all users and administrators.


 Web-Based KYOCERA Command Center RX: Check the operation status of the device, toner level, paper availability, as well as change settings related to security, network printing and advanced network setting etc.





- Comprehensive KYOCERA Net Viewer (Device Management & Reporting):
- Monitor, maintain, and update up to 100 network printing devices locally and remotely.
- Simply install and update the firmware on all KYOCERA network connected devices while easily monitoring printed pages, device configuration, accounting, toner usage, and alerts.
- Greatly reduce the manpower required to monitor connected devices.





- Well-Structured KYOCERA Net Manager (Optional):
 - Protect confidential data, manage & control the overall output (copy/print/scan) and get detailed reports
 - Users: Simplify the process by overviewing personal printing jobs with personalized settings web browser.
- Card Authentication Kit (Optional): Get print document directly and allow quick and secure access settings with pre-defined user restrictions such as output quota.











Go for the Green Future

Green Design

- Weekly Timer: Preset the machine on and off time to maximize power savings.
- EcoPrint: Consume less energy and toner.
- Energy Saver: 1.0W or less power consumption at Priority Energy Saver Mode.
- Long Life Mega Surface Amorphous Silicon (a-Si) Drum, Developer and Replacement parts.
- Large capacity toner for maximum uptime and less wastage.
- Parts for Recycling.
- Non-toxic Materials.
- Quiet operation design for a comfortable working environment.







Eco Mark (Japan)

EcoLeaf Environmental Label (Japan)

Law on Promoting Green Purchasing (Japan)

KYOCERA aims at providing safe and comfortable products which have minimum environmental impact by acquiring various environmental labels.

				rifications	
Model			Main Spec		
Model			TASKalfa 3212i	TASKalfa 4012i	
Main Function			Copy, Print, Scan, Fax (Optional) Semiconductor Laser		
Writing Method CPU			T1024 (Dual C		
Print Speed (A4)	Simplex (Mono	Λ	32 ppm	40 ppm	
Scanning Speed		Simplex	80/80	**	
(A4) 300dpi	(Mono/Color)		48/48		
Scanning Speed (A4)		Simplex	80/80	•	
300dpi Dual Scan	(Mono/Color)	Duplex	160/16	60 ipm	
Scanning Speed	DP-7120	Simplex	48/48	3 ipm	
(A4) 300dpi	(Mono/Color)	Duplex	15/15	ipm	
Memory			Standard 2GE	3 (Max. 2GB)	
SSD/HDD Capacity			32GB (Standard)/ 320GB (Optional) 8GB / 320GB (Standard)		
Warm Up Time			18 seconds		
Paper Capacity	Standard		2 x 500 sheets (Cassett	· · · · · · · · · · · · · · · · · · ·	
Danas Cina	Maximum Cassette		4,100 sheets (Main Unit + PF-810 + MPT) Min. ASR - Max. A3 (Ledger)		
Paper Size	MPT		Min. AGR - Max. A3 (Ledger) Min. AGR - Max. A3 (Ledger)		
Paper Weight	Cassette		60 - 16:		
raper weight	MPT				
Duplex Printing			45 - 256 g/m ² Paper size: A5R - A3 / Ledger; Paper weight: 60 - 163 g/m ²		
Output Capacity			250 sheets + 50 sheets (with Inner Job Separator) face-down		
Control Panel			9 inch Color Touch LCD Panel		
Dimension (W x D x H) (Main Unit)			594mm x 696mm x 683mm		
Weight (Main Unit)			Approx. 59 kg		
Power	Copy/Print Mo	de	510W or less	600W or less	
Consumption (Standard	Stand-by Mode		100W		
configuration)	Energy Saver		1.0W c		
Noise (ISO7779/	Copy/Print Mo		66.0dB(A)	67.0dB(A)	
ISO9296) Stand-by Mode			43dB(A)		
			Copy Functions (Standard)		
Copy Size			Max. A3 (Ledger) - Min. A6R		
Resolution			600 x 6		
First Copy Time			4.3 seconds	3.6 seconds	
Zoom Ratio	Manual		25% - 400%		
Pre-defined Multiple Copy			5R!		
такіріс сору			1 - 999		
			Print Function		
Resolution			9,600 Equivalent x 600 dpi; 1,200 x 1,200 dpi PRESCRIBE, PCL6 (PCL-5e, PCL-XL), KPDL3 (PostScript 3 compatible), XPS, OpenXPS, PDF Direct Print, PPML		
PDL First Print Out Time			PRESCRIBE, PCL6 (PCL-5e, PCL-XL), KPDL3 (PostScript : 4.9 seconds	3 compatible), XPS, OpenXPS, PDF Direct Print, PPML 4.2 seconds	
Supported Protocol			4.9 seconds NetBEUI, FTP, Port 9100, LPR,		
Operating System Su	pported		Windows Server 2008, Windows Ser		
			Windows Vista, Windows 7, Windows 8, Windows 10;		
Interfere			Apple Macintosh OS 10.5 or later; Linux		
Interface			USB2.0 High Speed x1; 1000BASE-T/100BASE-TX/10BASE-T; USB Host interface (USB Host) x4; NFC TAG x1		
USB Memory Printing			Standard TIFF, JPEG, PDF, XPS		
USB Memory Printing Format Mobile Printing			AirPrint, Mopria, KYOCERA Mobile Print		
Mobile Printing			AirPrint Monria KY		
Mobile Printing				OCERA Mobile Print	
			Scan Function	OCERA Mobile Print ns (Standard)	
Mobile Printing Color Selection Resolution				OCERA Mobile Print ns (Standard) B&W); Full Color; Grayscale; Black & White	
Color Selection			Scan Functior Auto Color (Color/Gray); Auto Color (Color/	OCERA Mobile Print ns (Standard) B&W); Full Color; Grayscale; Black & White Ipi, 200x100dpi, 200x400dpi	
Color Selection Resolution File Format Image Type Mode			Scan Functior Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, ^T	OCERA Mobile Print Is (Standard) B&W); Full Color; Grayscale; Black & White Ipi, 200x100dpi, 200x400dpi mpression PDF), PDF/A, Searchable PDF (Optional) Text + Photo	
Color Selection Resolution File Format Image Type Mode Transmission Type			Scan Functior Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FTP or FTP	OCERA Mobile Print Is (Standard) B&W); Full Color; Grayscale; Black & White [pj. 200x100dpi, 200x400dpi mpression PDF), PDF/A, Searchable PDF (Optional) Text + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan	
Color Selection Resolution File Format Image Type Mode			Scan Functior Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I	DCERA Mobile Print Is (Standard) B&W); Full Color; Grayscale; Black & White [pj. 200x100dpi, 200x400dpi mpression PDF), PDF/A, Searchable PDF (Optional) Text + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan ist), 500 groups (Group address list)	
Color Selection Resolution File Format Image Type Mode Transmission Type			Scan Functior Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FTP or FTP	DCERA Mobile Print Is (Standard) B&W); Full Color; Grayscale; Black & White [pj. 200x100dpi, 200x400dpi mpression PDF), PDF/A, Searchable PDF (Optional) Text + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan ist), 500 groups (Group address list)	
Color Selection Resolution File Format Image Type Mode Transmission Type			Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address IF ax Function Max. A3 (Ledger) - N	DCERA Mobile Print as (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi mpression PDF), PDF/A, Searchable PDF (Optional) Text + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan ist), 500 groups (Group address list) s (Optional) Ain. A5 (Statement)	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method			Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR,	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White Ipi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Iext + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan Iist), 500 groups (Group address list) Is (Optional) In. A5 (Statement) Im. A5 (Statement)	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed			Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, ' Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.6	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White Ipi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Fext + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan Isit), 500 groups (Group address list) s (Optional) Jin. AS (Statement) MH, JBIG Kbps	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory			Scan Function Auto Color (Color/Gray); Auto Color (Color/Gol	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White Ipi, 200x100dpi, 200x400dpi Ipi, 200x100dpi, 200x400dpi Ipiression PDF), PDF/A, Searchable PDF (Optional) Fext + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan Isit), 500 groups (Group address list) s (Optional) Alin. A5 (Statement) MH, JBIG kbps MB	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX	(Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.6 I 1701	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White [pj, 200x100dpi, 200x400dpi mpression PDF), PDF/A, Searchable PDF (Optional) Text + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan ist), 500 groups (Group address list) s (Optional) Alin. AS (Statement) MH, JBIG Kbps MB Iss	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory	(Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address l Fax Function Max. A3 (Ledger) - N MMR, MR, 33.61 170 Ye Yes (Fax System 12	DCERA Mobile Print as (Standard) B&W); Full Color; Grayscale; Black & White [pi, 200x100dpi, 200x400dpi mpression PDF), PDF/A, Searchable PDF (Optional) Text + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan ist), 500 groups (Group address list) s (Optional) Alin. AS (Statement) MH, JBIG kbps MB as x 2 units required)	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax	(Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.61 1700 Ye Yes (Fax System 12 Consumable	DCERA Mobile Print as (Standard) B&W); Full Color; Grayscale; Black & White [pi, 200x100dpi, 200x400dpi mpression PDF), PDF/A, Searchable PDF (Optional) Text + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan ist), 500 groups (Group address list) s (Optional) Alin. A5 (Statement) MH, JBIG kbps MB B ss x 2 units required) ss & Options	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax Toner Kit	(Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, ' Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.6 1701 Yes (Fax System 12 Consumable TK-7120	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White Ipi, 200x100dpi, 200x400dpi Impression PDF); PDF/A, Searchable PDF (Optional) IEExt + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan ist), 500 groups (Group address list) s (Optional) Alin. AS (Statement) MH, JBIG kbps MB Iss x 2 units required) s & Options ITK-7220	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax Toner Kit Maintenance Kit	(Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, " Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.6 I 1701 Yes (Fax System 12 Consumable TK-7120 MK-7	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) IExt + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan ist), 500 groups (Group address list) Is (Optional) Alin. A5 (Statement) IMH, JBIG Ikbps IMB IS X 2 units required) IS & Options IK-7220 ITI-7220	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax Toner Kit Maintenance Kit Platen Cover			Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, 7 Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.6 I 1700 Ye Yes (Fax System 12 Consumable TK-7120 MK-7	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White Ipi, 200x100dpi, 200x400dpi Ipi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Fext + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan Isit), 500 groups (Group address list) s (Optional) Alin. A5 (Statement) MH, JBIG Kbps MB Isi Sx 2 units required) sx 2 Units required) sx 4 Units required TK-7220 T129 Fer Type E	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax Toner Kit Maintenance Kit			Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, " Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.6 I 1701 Yes (Fax System 12 Consumable TK-7120 MK-7	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White [pj, 200x100dpi, 200x400dpi mpression PDF), PDF/A, Searchable PDF (Optional) Text + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan ist), 500 groups (Group address list) s (Optional) Min. AS (Statement) MH, JBIG Kbps MB Iss Iss Iss 2 units required) Iss & Options TK-7220 Italian	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax Toner Kit Maintenance Kit Platen Cover Document Processor			Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.6 1700 Ye Yes (Fax System 12 Consumable TK-7120 MK-7 Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White [pi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Text + Photo Instruction over SSL; Scan to USB; TWAIN Scan; WSD Scan Instruction over SSL; Scan to USB; TWAIN Scan; WSD Scan Instruction over SSL; Scan to USB; TWAIN Scan; WSD Scan Instruction over SSL; Scan to USB; TWAIN Scan; WSD Scan Instruction over SSL; Scan to USB; TWAIN Scan; WSD Scan Instruction over SSL; Scan to USB; TWAIN Scan; WSD Scan Instruction over SSL; Scan to USB; TWAIN Scan; WSD Scan Instruction over SSL; Scan to USB; TWAIN Scan; WSD Scan Instruction over SSL; Scan to USB; TWAIN Scan Inst	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax Toner Kit Maintenance Kit Platen Cover Document Processor Paper Feeder			Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FT or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.61 1700 Ye Yes (Fax System 12 Consumable TK-7120 TK-7120 TK-7120 DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 500 sheets x2 (A4/Letter); F	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White Ipi, 200x100dpi, 200x400dpi Impression PDF) PDF/A, Searchable PDF (Optional) Text + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan Isit), 500 groups (Group address list) Is (Optional) Inin. A5 (Statement) Inin. A5 (Statement) Inin. A6 (Statement) Inin. A7 (Statement) Inin. A8 (Statement) Inin. A8 (Statement) Inin. A9 (Stateme	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax Toner Kit Maintenance Kit Platen Cover Document Processor Paper Feeder Finisher			Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.6 1701 Ye Yes (Fax System 12 Consumable TK-7120 MK-7 Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 500 sheets x2 (A4/Letter); F AK-740: Paper Exit PAT-730(B): 7 bins Mailbox Sorter Fax Syst	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White Ipi, 200x100dpi, 200x400dpi Ipi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Ifext + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan Isit), 500 groups (Group address list) Isit), 500	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax Toner Kit Maintenance Kit Platen Cover Document Processor Paper Feeder Finisher Fax System Internet FAX			Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.61 1700 Ye Yes (Fax System 12 Consumable TK-7120 TK-7120 TK-7120 DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 500 sheets x2 (A4/Letter); F AK-740: Paper Exit Path for Finisher; DF-7120: 1,00 PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter Fax Syst Internet F	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White [pi, 200x100dpi, 200x400dpi mpression PDF), PDF/A, Searchable PDF (Optional) Text + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan Sist), 500 groups (Group address list) s (Optional) Min. AS (Statement) MH, JBIG Kebps MB SS x 2 units required) s & Options TK-7220 T129 For Type E E-path duplex scan Type; DP-7120: 50 sheets RADF Type PF-810: 1,500 sheets x2 (A4/Letter) D0 sheets Finisher; DF-791: 3,000 sheets Finisher; ; \$112: Staple for DF-791; SH-10: Staple for DF-7120 Item 12 AX Kit(A)	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax Toner Kit Maintenance Kit Platen Cover Document Processor Paper Feeder Finisher Fax System Internet FAX Data Security			Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FT or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.61 1701 Ye Yes (Fax System 12 Consumable TK-7120 TK-7120 TK-7120 DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 500 sheets x2 (A4/Letter); F AK-740: Paper Exit Path for Finisher; DF-7120: 1,00 PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter Fax System 12 Father Core Core Core Core Core Core Core Co	DCERA Mobile Print Its (Standard) B&W); Full Color; Grayscale; Black & White Ipi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) Text + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan Isit), 500 groups (Group address list) Is (Optional) Alin. A5 (Statement) MH, JBIG Kkbps MB Iss Iss Iss 2 units required) Iss & Options TK-7220 TC129 TC129 TC129 TC129 TC210 TC220 TC220 TC230 TC300 Sheets x2 (A4/Letter) D0 Sheets Finisher; DF-791: 3,000 sheets Finisher; SH12: Staple for DF-791; SH-10: Staple for DF-7120 TC220 AX Kit(A) Irity Kit(E)	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax Toner Kit Maintenance Kit Platen Cover Document Processor Paper Feeder Finisher Fax System Internet FAX Data Security Card Authentication			Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, ' Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.6 1700 484 Yes (Fax System 12 Consumable TK-7120 MK-7 Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 500 sheets x2 (A4/Letter); F AK-740: Paper Exit Path for Finisher; DF-7120: 1,00 PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter Fax System Internet F Data Secu	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White Ipi, 200x100dpi, 200x400dpi Impression PDF), A Searchable PDF (Optional) IExt + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan ist), 500 groups (Group address list) Is (Optional) Inin. A5 (Statement) Inin. A5 (Statement) Inin. A5 (Statement) Inin. A6 (Statement) Inin. A7 (Statement) Inin. A8 (Statement) Inin. A9 (Statement) In	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax Toner Kit Maintenance Kit Platen Cover Document Processor Paper Feeder Finisher Fax System Internet FAX Data Security Card Authentication Gigabit Ethernet Boa	rd		Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.6 1701 Ye Yes (Fax System 12 Consumable TK-7120 MK-7 Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 500 sheets x2 (A4/Letter); F AK-740: Paper Exit Path for Finisher; DF-7120. 1,100 PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter Fax Syst Internet F Data Sec	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White pi, 200x100dpi, 200x400dpi pi, 200x100dpi, 200x400dpi mpression PDF), PDF/A, Searchable PDF (Optional) Text + Photo over SSL; Scan to USB; TWAIN Scan; WSD Scan ist), 500 groups (Group address list) s (Optional) Jin. AS (Statement) MH, JBIG kbps MB is s x 2 units required) s & Options TK-7220 T129 ter Type E e-path duplex scan Type; DP-7120: 50 sheets RADF Type FP-810: 1,500 sheets x2 (A4/Letter) ob sheets Finisher; DF-791: 3,000 sheets Finisher; i; SH12: Staple for DF-791; SH-10: Staple for DF-7120 term 12	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax Toner Kit Maintenance Kit Platen Cover Document Processor Paper Feeder Finisher Fax System Internet FAX Data Security Card Authentication	rd		Scan Function Auto Color (Color/Gray); Auto Color (Color/ 600dpi, 400dpi, 300dpi, 200d TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-cor Text, Photo, ' Scan to SMB; Scan to E-mail; Scan to FTP or FTP 2,000 addresses (Common address I Fax Function Max. A3 (Ledger) - N MMR, MR, 33.6 1700 484 Yes (Fax System 12 Consumable TK-7120 MK-7 Platen Cov DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets On PF-791: 500 sheets x2 (A4/Letter); F AK-740: Paper Exit Path for Finisher; DF-7120: 1,00 PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter Fax System Internet F Data Secu	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White [pj, 200x100dpi, 200x400dpi mpression PDF), PDF/A, Searchable PDF (Optional) Text + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan Sit), 500 groups (Group address list) s (Optional) Min. AS (Statement) MH, JBIG Kebps MB SS x 2 units required) s & Options TK-7220 T129 For Type E E-path duplex scan Type; DP-7120: 50 sheets RADF Type PF-810: 1,500 sheets x2 (A4/Letter) D0 sheets Finisher; DF-791: 3,000 sheets Finisher; \$ \$112: Staple for DF-791; SH-10: Staple for DF-7120 STEMP STE	
Color Selection Resolution File Format Image Type Mode Transmission Type Address Storage Original Size Coding Method Transmission Speed Memory G3 FAX/ Network FAX Dual Fax Toner Kit Maintenance Kit Platen Cover Document Processor Paper Feeder Finisher Fax System Internet FAX Data Security Card Authentication Gigabit Ethernet Boa Wireless LAN Interfac	rd		Scan Function	DCERA Mobile Print Ins (Standard) B&W); Full Color; Grayscale; Black & White Ipi, 200x100dpi, 200x400dpi Ipi, 200x100dpi, 200x400dpi Impression PDF), PDF/A, Searchable PDF (Optional) IExt + Photo Over SSL; Scan to USB; TWAIN Scan; WSD Scan Isit), 500 groups (Group address list) Isit), 500 groups (Group address list) Isit), 500 groups (Group address list) Isit) Isit), 500 groups (Group address list) Isit) Isit), 500 groups (Group address list) Isit) Isi	



Document Solutions

KYOCERA Document Solutions India Pvt. Ltd.
Second Floor, Centrum Plaza, Sector-\$3, Golf Course Road, Gurgaon – 122002 (Haryana), India
Tei: +91-124-4671000
Fax: +91-124-4671001
Faxi: +91-124-4671001
http://www.kyoceradocumentsolutions.co.in

 $\hbox{\tt *KYOCERA Document Solutions does not warrant that any specifications mentioned will}\\$ be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

KYOCERA Business Partner